









Technical Data

Burner Model:
Heat Output:

Natural Gas
LIN-E-36
60,000 BTU/h
18 kW

Propane
LIN-E-36P
57,000 BTU/h
18 kW

**Clearances to
Combustibles:**
Available Finishes:
Available Accessories:
**Burner Certifications
& Standards:**




Above: 72" Below: 0" Sides: 4"
Corten Steel
Tempered Glass Screen


US & Canada - ETL ANSI Z21.97 CSA 2.4.1
UK & EU - CE GAR (EU) 2016/426
Switzerland - SVGW
up to 650 lbs | 300 kg
up to 800 lbs / 365 kg
80"x24"x80"h / 203x60x203 cm
1/8" Corten Steel 550 lbs

Installed Weight:
Crated Weight:
Crate Size:
Vessel Material & Weight:

For more information, visit paloform.com/fire-pits/kodo







Technical Data

Burner Model:

Heat Output:

Clearances to

Combustibles:

Available Finishes:

Available Accessories:

Burner Certifications

& Standards:

Installed Weight:

Crated Weight:

Crate Size:

Vessel Material & Weight:

Natural Gas

LIN-M-36

60,000 BTU/h

18 kW

Propane

LIN-M-36P

57,000 BTU/h

18 kW

Above: 72" Below: 0" Sides: 12"

Corten Steel

Tempered Glass Screen

US & Canada - ETL ANSI Z21.97 CSA 2.4.1

UK & EU - CE GAR (EU) 2016/426

Switzerland - SVGW

up to 650 lbs / 300 kg




up to 800 lbs / 365 kg


80"x24"x80"h / 203x60x203 cm

1/8" Corten Steel 550 lbs

For more information, visit paloform.com/fire-pits/kodo







Technical Data

Burner Model:

Heat Output:

Clearances to

Combustibles:

Available Finishes:

Firebox Finish:

Available Accessories:

Burner Certifications

& Standards:

Installed Weight:

Crated Weight:

Crate Size:

Vessel Material & Weight:

Natural Gas

LIN-E-36

60,000 BTU/h

18 kW

Propane

LIN-E-36P

57,000 BTU/h

18 kW

Above: 72" Below: 0" Sides: 12"

Powder-coated Aluminum

Black, Graphite, White, Dark Graphite, Bronze

High-temperature Black

Tempered Glass Screen

US & Canada - ETL ANSI Z21.97 CSA 2.4.1

UK & EU - CE GAR (EU) 2016/426

Switzerland - SVGW




up to 325 lbs / 150 kg


up to 525 lbs / 240 kg

80"x24"x80"h / 203x60x203 cm

1/8" Aluminum 200 lbs / 90 kg

For more information, visit paloform.com/kodo





Technical Data

Burner Model:

Heat Output:

Natural Gas

LIN-M-36

60,000 BTU/h

18 kW

Propane

LIN-M-36P

57,000 BTU/h

18 kW

Clearances to

Combustibles:

Available Finishes:

Above: 72" Below: 0" Sides: 12"

Powder-coated Aluminum

Black, Graphite, White, Dark Graphite, Bronze

High-temperature Black

Tempered Glass Screen

Firebox Finish:

Available Accessories:

Burner Certifications

& Standards:

US & Canada - ETL ANSI Z21.97 CSA 2.4.1

UK & EU - CE GAR (EU) 2016/426

Switzerland - SVGW

up to 325 lbs / 150 kg

Installed Weight:

Crated Weight:

Crate Size:

Vessel Material & Weight:

up to 525 lbs / 240 kg

80"x24"x80"h / 203x60x203 cm

1/8" Aluminum 200 lbs / 90 kg

For more information, visit paloform.com/kodo